

Gazelle Platform Self-Testing User Guide

Gazelle Platform Self-Testing – User Guide

General Guidance	.2
Introduction	.2
Abbreviations / Glossary	. 2
Self-Testing Approach	. 2
Registration	.2
User Registration	.2
Vendor Registration	.3
Testing in Gazelle	.3
Test Scenarios	.3
Test Prerequisites	.5
Test Execution	.5
Test Verification	.6
Test Evidence	.9

General Guidance

Introduction

The Gazelle Platform is a framework that facilitates testing Interoperability of IT systems within the healthcare industry.

Infoway is leveraging Gazelle to provide a conformance testing platform for the pan-Canadian Digital Health Interoperability specifications, such as pan-Canadian Patient Summary (PS-CA).

One important concept to consider when testing on the Gazelle platform is IHE profiles, which are standard specifications recommended to be used to solve a set of use cases, based on actors and transactions. The testing in Gazelle is based on IHE profiles, or on similar specifications that are closely following the IHE paradigm.

There are multiple tools and functionalities within the Gazelle platform. In this guide the focus is on the Gazelle Test Manager and the Gazelle Proxy, when using Gazelle Platform for Self-testing.

The instructions within this guide aim to offer a fundamental introduction to getting started and becoming acquainted with the available tools, as well as the general testing process. Users are encouraged to expand upon this knowledge and as they are getting more familiar with the environments and the testing process.

Abbreviations / Glossary

IHE	Integrating the Healthcare Enterprise
SUT	System under Test

Self-Testing Approach

Self-testing is comprised of a series of no-peer tests, conducted independently by implementers against simulators on the Gazelle platform to validate their conformance to the specifications. Testing teams are responsible for determining the quantity and scope of tests they will conduct and verifying results. The main tools recommended for self-testing are the Gazelle Test Manager and the Gazelle Proxy.

Specification test scenarios can also be found in Gazelle. The scenarios in Gazelle may be focused on a single Actor and Transaction, or multiple Actors and corresponding transactions whereby actors and transactions can be grouped together in the same test scenario. For example, CA:FeX can be grouped together with the IUA profile, adding support for authorization. During the self-testing, participants are to focus on the actors and transactions that are applicable for their particular implementations.


The transactions executed during the test are sent through the Gazelle proxy that captures the transaction request and response for analysis.

Registration

User Registration

To obtain access to the Gazelle platform, you must create an account in Gazelle.

Navigate to the Gazelle website https://pancanadianio.ca/gazelle and click Create an Account



Fill in your user Information on the registration form.

In the Organization dropdown, select your organization if it is already registered. Otherwise select New company and fill in the required information. Click Save to complete the registration.

You will receive an email from Gazelle – click on the link in the email to activate your user account.

Now your user account is activated; click Sign-in to login to Gazelle.

			-		×
*	Ď C		New Chror	ne availab	ole :
	Create an a	account	Sign-in	AS S	ign-in

Vendor Registration

To use the features available on the Gazelle platform, you must register your system with Gazelle and specify the Actors that are applicable to your specific implementation.

If you have server-side systems, The Gazelle administrator will open a channel in the proxy for your implemented actors.

For support with the registration process, contact Infoway support at <u>interoperability@infoway-inforoute.ca</u>.

Note: Details regarding registration will be added soon.

Testing in Gazelle

Test Scenarios

To access the test scenarios that are available, navigate to the Gazelle Test Manager using the URL: <u>https://pancanadianio.ca/gazelle</u>

Once logged in, ensure that you are operating in the Vendor Conformance Testing session. If not, click "Switch" to select the appropriate session.



Note: If you do not see the Vendor Conformance Testing session in the list to be selected, it means that the Gazelle Administrators are actively working on creating the session and making it available in Gazelle.

In the top menu, click on Tests List

Registration - TF - Tests List - Configurations - Connectathon - Administration - Search Subm	Gazelle - Vendor Conformance Testing	Switch			
	Registration TF Tests List Configurations	s 🗸 Connectathon 🗸	Administration -	Search	Submit

Gazelle will display the list of available tests.

In the search Criteria, select the options:

- Test Type: pre-connectathon
- Test Peer Type: No Peer
- Test Status: ready

Search Criteria			
Domain	Show all	Ŧ	×
Integration profile	Show all	*	×
Transaction	Show all	Ŧ	×
Test Type	(46) pre-connectathon	Ŧ	×
Test Peer Type	(46) No Peer	•	×
Test Last modifier	Show all	Ŧ	×
Author	Show all	•	×
By keyword or name	٩		

Actor	Show all	•	×
Int Prof. option	Show all	•	×
Test Status ((45) ready	•	×
Test Version	Show all	•	×
is Validated	Show all	•	×

Use the filters provided to further narrow down the list of tests that are relevant to your implementation. Use the x next to each field to clear the filters.

Keyword 🔺	Version ≑	Status ≑	
00_Connectivity_Testing[CA]	CAN-IO 2023	ready	~
00_GazelleTesting_CheatSheet[CA]	CAN-IO 2023	ready	~
00_IUA-Registration[CA]	CAN-IO 2023	ready	~
01_PS-CA_Validation[CA]	CAN-IO 2023	ready	~
CA:Aud_Log_Creation[CA]	CAN-IO 2023	ready	~
CA:Aud_Log_Retrieval[CA]	CAN-IO 2023	ready	~
CA:FeX-1_DataRecipient[CA]	CAN-IO 2023	ready	~
CA:FeX-1_DataRecipient_IUA[CA]	CAN-IO 2023	ready	~
CA:FeX-1_DataSource[CA]	CAN-IO 2023	ready	~
CA:FeX-1_DataSource_IUA[CA]	CAN-IO 2023	ready	~

Test Prerequisites

Typically, there are prerequisites required for execution of each test scenario, depending on the actors that are implemented by your SUT.

For instance, for server-side actors, the Gazelle administrator needs to open a channel in the proxy and add the server certificate to the proxy trust store. For IUA actors there are prerequisites that are aligned with the configurations required by OAuth2.

Note: The tests that have the names starting with the prefix 00, contain information and instructions that are useful before starting the testing process.

Test Execution

Select and click on a test that is applicable for the actors and transactions applicable of your particular implementation. Your SUT can be either on the client side or on the server side, and your tests will be performed against the corresponding simulator. For easy identification, the name of the No-Peer scenario includes the name of the Profile, Transaction and Actor that is played by your SUT.

Follow the instructions and steps described in the Test Scenario.

Generally, each test scenario has different sections, such as Prerequisites, Description, and more.

The test contains the most important details needed to perform the test. It includes a diagram describing the actors and transactions and steps to perform during the test. It also includes an evaluation section with instructions how to verify the test results.

At the bottom of the page there are information regarding the Test roles and the main steps that to be executed for the test.

Note: It is strongly recommended to read through the entire test scenario before executing a test and ensure that the prerequisites are completed.

Test Verification

The transactions executed during the test are sent through the Gazelle proxy that captures the transaction request and response for analysis.

To verify the test results, login to the Gazelle Proxy using the URL: <u>https://pancanadianio.ca/proxy</u>

In the top menu I click on Message list

~	<mark>i t</mark> Gaz	zelle Pr	оху	×	+
←	\rightarrow	G	010	pancanadianio.ca/	'proxy/home.seam
Ga	zelle P	roxy			
Cha	nnel list		essa	nges list	

Welcome to Gazelle Proxy

Welcome to Gazelle Proxy. This application is used to capture messages exchanged between two systems under test. Proxy is accessible at 149.202.25.56

Search your message in the Message list. Typically, there are multiple messages exchanged for a transaction, where the proxy is displaying an index that indicates the order that the messages were exchanged, for example:

- index 1 is the request message, and
- index 2 is the response message

To narrow down the search, use the filters available on the page as needed

Click on Details to inspect the details for both the request and response message and verify that the request and response are correct and conforming to the pan-Canadian specifications.

Message List

Search Criteria										
м	lessage type	HTTP	HTTP							
Secu	ure message	-	-					v	×	
	Initiator's IP					×				
Re	sponder's IP					×				
	Proxy's port	0		-	+	×				
Co	onnection ID	15931		-	+	×				
HTTP M	essage Type							Ŧ	×	
	Date from	#					×			
Rapid da	ate selection							Ŧ	×	
Connection Id 🗢	Index 🗢	Туре	Details			Date	•	Time (µ	s)	From 🗢
15931	2	÷	Details	6		3/21/	23 6:31:40 AM (EDT GMT-0400)	721190		46.30.234
15931	1	•	Details	Ъ		3/21/	23 6:31:40 AM (EDT GMT-0400)	364556		46.30.234

In the detailed page, click the + and – buttons to navigate through the messages within the transaction.

HTTP Message

Message details		
Permanent link	https://pancanadianio.ca/proxy/messages/http.seam?id=33435	
ID Connection ID	33435 15931 📥	IP
Index		Port
Date Received	3/21/23 6:31:40 AM (EDT GMT-0400)	Message length

Inspect the information of the exchanged messages, such as HTTP headers and body.

Туре	application/fhir+json
Headers	<pre>DefaultHttpRequest(chunked: false) POST /cafex/Bundle?_pretty=false&_format=application%2Ffhir%2Bjson HTTP/1.1 Host: pancanadianio.ca:10001 Connection: keep-alive sec-ch-ua: "Google Chrome";v="111", "Not(A:Brand";v="8", "Chromium";v="111" accept: application/fhir+json Content-Type: application/fhir+json sec-ch-ua-mobile: ?0 User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Ge sec-ch-ua-platform: "macOS" Origin: https://ps-swagger.apibox.ca Sec-Fetch-Site: cross-site Sec-Fetch-Mode: cors Sec-Fetch-Dest: empty Referer: https://ps-swagger.apibox.ca/ Accept-Encoding: gzip, deflate, br Accept-Language: cs,en;q=0.9,en-GB;q=0.8,de;q=0.7 Content-Length: 71678</pre>


Metadata

Message content

🛓 Q 🖌

```
{
   "resourceType": "Bundle",
   "id": "Bundle-FulsomeClinicalScenario1",
   "meta": {
        "profile": [
            "http://fhir.infoway-inforoute.ca/io/psca/StructureDefinition/bundle-ca-ps"
        ]
   },
    "identifier": {
        "system": "http://fictional-identifier-system-uri.com",
        "value": "Bundle-Scenario1"
   },
   "type": "document",
   "timestamp": "2023-01-04T14:30:00+01:00",
   "entry": [
       {
            "fullUrl": "Composition/18fc14a1-303a-4c2e-9143-a8087cd3aeeb",
            "resource": {
                "resourceType": "Composition",
                "id": "18fc14a1-303a-4c2e-9143-a8087cd3aeeb",
                "meta": {
                   "profile": [
                        "http://fhir.infoway-inforoute.ca/io/psca/StructureDefinition/composition-ca-ps"
                   ]
                },
                "text": {
                   "status": "additional",
                   "div": "
<div xmlns=\"http://www.w3.org/1999/xhtml\">Primary Problem: Right shoulder, arm and knee pain, with diag
</div>"
```

If you wish to save the evidence of the test execution, capture the Permanent link URL in the top corner for both the request and response message. You can also save the evidence by downloading the messages using the Download button.



Test Evidence

The activities described in this section are not mandatory to be executed for self-testing.

In the top menu, navigate to Connectathon > Pre-Connectathon > Pre-Connectathon Testing

Registration +	TF 👻	Tests List 🗸	Configurations -		Admin	istration 👻	Search	Submit	
Gazelle				Find systems					
Gazelle				📌 Pre-Connecta	athon	E Pre-Co	nnectathon Testing		
Welcome 🖋	•			Connectatho	n ⊧	🖋 Pre-Co	nnectathon Results		

Click on your system that you registered for the Projectathon

Click on the Number of tests to do

System keyword	System/Product name (Version)	Number of tests to do	
OTHER_DHO_Demo3	Demo3	19	
TOOL_INFOWAY_PAT	INFOWAY_PAT	50	

This opens a page where you can see all the actors in all your test scenarios


Notice that the same test might be shown multiple times, in case the same test is executed by different actors. To open the test scenario, click on the Globe icon.

Test	Integration Profile	Actor	
00_IUA-Registration[CA] 🔇 🕜	IUA	AUTH_CLIENT	
01_PS-CA_Validation[CA] 🥝 😮	CA:FeX	CA:FeX - Source	
CA:Aud_Log_Creation[CA] 🔇 🚱	CA:AUD	ARR	
CA:Aud_Log_Retrieval[CA] 🔇 💡	CA:AUD	ARR	
CA:FeX-1_DataSource[CA	CA:FeX	CA:FeX - Source	
CA:FeX-1_DataSource_IUA[CA] 🔇 🚱	CA:FeX	CA:FeX - Source	
CA:FeX-2A_DataConsumer[CA] 😵 📀	CA:FeX	CA:FeX - Consumer	
CA:FeX-2A_DataConsumer_IUA[CA] 🔇 🔞	CA:FeX	CA:FeX - Consumer	

Look for the test scenario that you executed earlier and select the test for the actor participant in your SUT. Click on the Return log file.

Test	Integration Profile	Actor	Int Prof. option	Option	Status	Action
00_IUA-Registration[CA] 🚱 🔞	IUA	AUTH_CLIENT	NONE	R		Return log file
01_PS-CA_Validation[CA] 🔇 🕢	CA:FeX	CA:FeX - Source	NONE	R		Return log file
CA:Aud_Log_Creation[CA] 🔇 🚱	CA:AUD	ARR	NONE	R		Return log file
CA:Aud_Log_Retrieval[CA] 🔇 🔞	CA:AUD	ARR	NONE	R		Return log file
CA:FeX-1_DataSource[CA] 🔇 🔞	CA:FeX	CA:FeX - Source	NONE	R	<	Return log file
CA:FeX-1_DataSource_IUA[CA] 😵 😰	CA:FeX	CA:FeX - Source	NONE	R		Return log file

This will take you to the page where you can upload your evidence. In the Comments section, copy and paste the permanent link that you captured earlier in the Gazelle proxy. Alternatively, use the Upload button to upload any files that contain evidence for the test results.



After verification is complete, test results are correct, and evidence is provided, you can change the status to "Verified by Vendor".