

MHDS Option Sequence Diagram 1: Use Case-01

Scenario / Assumption(s): Patient Summary-CA is stored in Central or Local (Decentralized) Document Repository

Release 1: Clinical data (e.g. medication, lab results, immunization) is retrieved from local sources only

Implementation Option 1: This sequence diagram provides the option of using the MHD IHE profile, including a Document Repository actor and supporting HL7 FHIR standards.

*Note: Please refer to the pan-Canadian Patient Summary – FHIR Implementation Guide for the Patient Summary-CA Valuesets

Sequence Diagram Overview:


Below provides guidance on how to read the sequence diagram:

- This sequence diagram illustrates how the different standardized actors of systems should interact with each other to carry out specific standardized transactions, and the order in which the transactions and interactions occur when Use Case 1 of the Patient Summary-CA is executed.
- The legend on the bottom right corner describes the different system components, actors and transactions that are necessary to carry out this particular use case.
- The green swim lane is a simplified view of the actors and transactions required by the Foundational IHE Profiles, in addition to the other ones that are not explicitly illustrated on the diagram (e.g. ATNA, CT) but included as a white note. These are pre-requisite conditions for this particular use case and it is assumed that these will be satisfied.
- The blue swim lanes groups sequence of processes (along with their required actors and transactions) that are needed to occur to satisfy this particular use case. These are to be read from left to right and top to bottom.
- The red note boxes describe important call outs, information and notes that provide more context for the sequence diagram.
- More information about those details of the Foundational IHE Profiles can be found [here](#).

UC-01: HCP Creates PS – MHD

PS is stored in Central or Local (Decentralized) Document Repository

R1 – clinical data (e.g. medication, lab results, immunization) is retrieved from local sources only



Footnotes

1. Examples of the client system can be any of the following: EMR, HIS, CIS, PHR, or HER

Prerequisites

Client is logged into the system (IUA^{*})
Client obtained a valid access token from the Authorization Server that is used with each transaction (IUA^{*})
All communication is done through secure channels (ATNA)
System time is synchronized among all components (CT)

Legend

